



DUNLOP GUITAR STRINGS

ACOUSTIC ★ ELECTRIC ★ BASS



JIMDUNLOP.COM

DUNLOP STRING MANUFACTURING

Electric GUITAR STRINGS

A unique combination of crisp highs, aggressive mids, and a focused low end gives Dunlop Electric Guitar Strings a voice all of their own.

The Dunlop recipe for string-to-string balance and responsiveness produces string sets that are perfect for dynamic lead work, while notes in a chord ring out clearly whether clean or heavily distorted.

This powerful voice is delivered in a low tension string with a smooth tactile feel that breaks in fast and lasts a long time.

Available in all popular gauges including light top/heavy bottom 9's and 10's.

NICKEL PLATED STEEL

- ★ WARM AND CLEAR TONE
- ★ SMOOTH TACTILE FEEL
- ★ LOW TENSION
- ★ LONG LASTING

DEN1006	GAUGE: 8	EXTRA LIGHT 8 11 16 24 30 38
DEN1066	GAUGE: 9	LIGHT 9 11 16 24 32 42
DEN1086	GAUGE: 9	LIGHT TOP/HEAVY BOTTOM 9 11 16 26 36 46
DEN2016	GAUGE: 10	MEDIUM 10 13 17 26 36 46
DEN2056	GAUGE: 10	LIGHT TOP/HEAVY BOTTOM 10 13 17 30 42 52
DEN3006	GAUGE: 11	MEDIUM HEAVY 11 14 18 28 38 50
DEN3516	GAUGE: 12	HEAVY 12 16 24 32 42 54
DEN3756	GAUGE: 13	EXTRA HEAVY 13 17 26 36 46 56

Bass GUITAR STRINGS

NICKEL PLATED STEEL

- ★ WARM AND
HARMONICALLY RICH TONE
- ★ SMOOTH TACTILE FEEL
- ★ LONG LASTING

STAINLESS STEEL

- ★ CUTS THROUGH WITH
BRIGHT TONE
- ★ PUNCHY LOW MIDS
- ★ LONG LASTING

Acoustic GUITAR STRINGS

Every set of Dunlop Acoustic Guitar Strings deliver brilliant and rich tone for a dynamic and expressive acoustic experience. The finest wire combined with precise construction produce versatile strings durable enough to withstand hard strumming - and responsive enough for delicate fingerpicking. Chords ring out with great clarity, bass notes growl, and harmonics pop and sing.

Our formula creates strings that are exceptionally long-lived, they break-in fast and stay bright so you can spend more time playing and less time changing your strings. Available in two varieties - warm and full bodied phosphor bronze and bright and durable brass in all popular gauges.

BRASS

- ★ BRIGHT AND DURABLE
- ★ WELL BALANCED STRING TO STRING
- ★ QUICK BREAK-IN TIME

PHOSPHOR BRONZE

- ★ WARM AND RICH TONE
- ★ LOW TENSION
- ★ WELL BALANCED STRING TO STRING
- ★ QUICK BREAK-IN TIME

BRASS DAB1006
PHOSPHOR BRONZE DAP1006

GAUGE: 10 EXTRA LIGHT
10 14 22 30 40 48

BRASS DAB1506
PHOSPHOR BRONZE DAP1506

GAUGE: 11 MEDIUM LIGHT
11 15 22 32 42 52

BRASS DAB1066
PHOSPHOR BRONZE DAP1066

GAUGE: 12 LIGHT
12 16 24 32 42 54

BRASS DAB2016
PHOSPHOR BRONZE DAP2016

GAUGE: 13 MEDIUM
13 17 26 36 46 56

Bass players demand consistency, durability and versatility from their strings. Dunlop delivers.

Dunlop Bass Strings offer traditionalists, slappers, and pick-wielding rockers cutting midrange, wide bottom end and a growl that will cut through any band.

Carefully selected core to wrap ratios yield low tension strings with an extremely long life, and minimal break-in time. Each set is exceptionally well balanced string to string, and provides an amazing amount of dynamic range.

Dunlop Bass Strings are available in warm and rich sounding nickel-plated steel and punchy and bright stainless steel in all popular and custom gauges.

NICKEL PLATED DBN1064
STAINLESS STEEL DBS1064

GAUGE: 40-100 LIGHT
40 60 80 100

NICKEL PLATED DBN1065
STAINLESS STEEL DBS1065

GAUGE: 40-120 LIGHT 5-STRING
40 60 80 100 120

NICKEL PLATED DBN1504
STAINLESS STEEL DBS1504

GAUGE: 45-100 MEDIUM LIGHT
45 65 80 100

NICKEL PLATED DBN2014
STAINLESS STEEL DBS2014

GAUGE: 45-105 MEDIUM
45 65 85 105

NICKEL PLATED DBN2015
STAINLESS STEEL DBS2015

GAUGE: 45-125 MEDIUM 5-STRING
45 65 85 105 125

NICKEL PLATED DBN2025
STAINLESS STEEL DBS2025

GAUGE: 45-130 MEDIUM 5-STRING W/130
45 65 85 105 130

NICKEL PLATED DBN3514
STAINLESS STEEL DBS3514

GAUGE: 50-110 HEAVY
50 70 90 110

Single GUITAR STRINGS

PLAIN STEEL

ACOUSTIC/ELECTRIC

Outer Carton Quantity - 12

DGN007	Dunlop Single Plain Steel	- .007
DGN008	Dunlop Single Plain Steel	- .008
DGN009	Dunlop Single Plain Steel	- .009
DGN010	Dunlop Single Plain Steel	- .010
DGN011	Dunlop Single Plain Steel	- .011
DGN012	Dunlop Single Plain Steel	- .012
DGN013	Dunlop Single Plain Steel	- .013
DGN014	Dunlop Single Plain Steel	- .014
DGN015	Dunlop Single Plain Steel	- .015
DGN016	Dunlop Single Plain Steel	- .016
DGN017	Dunlop Single Plain Steel	- .017
DGN018	Dunlop Single Plain Steel	- .018
DGN019	Dunlop Single Plain Steel	- .019
DGN020	Dunlop Single Plain Steel	- .020

PHOSPHOR BRONZE

Outer Carton Quantity - 12

DAPW020	Dunlop Single Phosphor Bronze	- .020
DAPW021	Dunlop Single Phosphor Bronze	- .021
DAPW022	Dunlop Single Phosphor Bronze	- .022
DAPW023	Dunlop Single Phosphor Bronze	- .023
DAPW024	Dunlop Single Phosphor Bronze	- .024
DAPW025	Dunlop Single Phosphor Bronze	- .025
DAPW026	Dunlop Single Phosphor Bronze	- .026
DAPW027	Dunlop Single Phosphor Bronze	- .027
DAPW030	Dunlop Single Phosphor Bronze	- .030
DAPW032	Dunlop Single Phosphor Bronze	- .032
DAPW034	Dunlop Single Phosphor Bronze	- .034
DAPW035	Dunlop Single Phosphor Bronze	- .035
DAPW036	Dunlop Single Phosphor Bronze	- .036
DAPW039	Dunlop Single Phosphor Bronze	- .039
DAPW040	Dunlop Single Phosphor Bronze	- .040
DAPW042	Dunlop Single Phosphor Bronze	- .042
DAPW045	Dunlop Single Phosphor Bronze	- .045
DAPW046	Dunlop Single Phosphor Bronze	- .046
DAPW047	Dunlop Single Phosphor Bronze	- .047
DAPW048	Dunlop Single Phosphor Bronze	- .048
DAPW052	Dunlop Single Phosphor Bronze	- .052
DAPW053	Dunlop Single Phosphor Bronze	- .053
DAPW054	Dunlop Single Phosphor Bronze	- .054
DAPW056	Dunlop Single Phosphor Bronze	- .056

80/20 BRASS WOUND

Outer Carton Quantity - 12

DABW022	Dunlop Single 80/20 Brass Wound	- .022
DABW024	Dunlop Single 80/20 Brass Wound	- .024
DABW026	Dunlop Single 80/20 Brass Wound	- .026
DABW030	Dunlop Single 80/20 Brass Wound	- .030
DABW032	Dunlop Single 80/20 Brass Wound	- .032
DABW036	Dunlop Single 80/20 Brass Wound	- .036
DABW040	Dunlop Single 80/20 Brass Wound	- .040
DABW042	Dunlop Single 80/20 Brass Wound	- .042
DABW046	Dunlop Single 80/20 Brass Wound	- .046
DABW048	Dunlop Single 80/20 Brass Wound	- .048
DABW052	Dunlop Single 80/20 Brass Wound	- .052
DABW054	Dunlop Single 80/20 Brass Wound	- .054
DABW056	Dunlop Single 80/20 Brass Wound	- .056

NICKEL PLATED STEEL WOUND

Outer Carton Quantity - 12

DENW017	Dunlop Single Nickel Plated Steel Wound	- .017
DENW018	Dunlop Single Nickel Plated Steel Wound	- .018
DENW020	Dunlop Single Nickel Plated Steel Wound	- .020
DENW021	Dunlop Single Nickel Plated Steel Wound	- .021
DENW022	Dunlop Single Nickel Plated Steel Wound	- .022
DENW024	Dunlop Single Nickel Plated Steel Wound	- .024
DENW026	Dunlop Single Nickel Plated Steel Wound	- .026
DENW028	Dunlop Single Nickel Plated Steel Wound	- .028
DENW030	Dunlop Single Nickel Plated Steel Wound	- .030
DENW032	Dunlop Single Nickel Plated Steel Wound	- .032
DENW034	Dunlop Single Nickel Plated Steel Wound	- .034
DENW036	Dunlop Single Nickel Plated Steel Wound	- .036
DENW038	Dunlop Single Nickel Plated Steel Wound	- .038
DENW042	Dunlop Single Nickel Plated Steel Wound	- .042
DENW044	Dunlop Single Nickel Plated Steel Wound	- .044
DENW046	Dunlop Single Nickel Plated Steel Wound	- .046
DENW049	Dunlop Single Nickel Plated Steel Wound	- .049
DENW050	Dunlop Single Nickel Plated Steel Wound	- .050
DENW052	Dunlop Single Nickel Plated Steel Wound	- .052
DENW053	Dunlop Single Nickel Plated Steel Wound	- .053
DENW054	Dunlop Single Nickel Plated Steel Wound	- .054
DENW056	Dunlop Single Nickel Plated Steel Wound	- .056

NICKEL PLATED STEEL WOUND - BASS

Outer Carton Quantity - 6

DBN040	Dunlop Single Nickel Plated Steel Wound	- .040
DBN045	Dunlop Single Nickel Plated Steel Wound	- .045
DBN050	Dunlop Single Nickel Plated Steel Wound	- .050
DBN060	Dunlop Single Nickel Plated Steel Wound	- .060
DBN065	Dunlop Single Nickel Plated Steel Wound	- .065
DBN067	Dunlop Single Nickel Plated Steel Wound	- .067
DBN070	Dunlop Single Nickel Plated Steel Wound	- .070
DBN080	Dunlop Single Nickel Plated Steel Wound	- .080
DBN085	Dunlop Single Nickel Plated Steel Wound	- .085
DBN090	Dunlop Single Nickel Plated Steel Wound	- .090
DBN100	Dunlop Single Nickel Plated Steel Wound	- .100
DBN105	Dunlop Single Nickel Plated Steel Wound	- .105
DBN106	Dunlop Single Nickel Plated Steel Wound	- .106
DBN110	Dunlop Single Nickel Plated Steel Wound	- .110
DBN120	Dunlop Single Nickel Plated Steel Wound	- .120
DBN125	Dunlop Single Nickel Plated Steel Wound	- .125
DBN128	Dunlop Single Nickel Plated Steel Wound	- .128
DBN130	Dunlop Single Nickel Plated Steel Wound	- .130

STAINLESS STEEL WOUND - BASS

Outer Carton Quantity - 6

DBSW040	Dunlop Single Stainless Steel Wound Bass	- .040
DBSW045	Dunlop Single Stainless Steel Wound Bass	- .045
DBSW050	Dunlop Single Stainless Steel Wound Bass	- .050
DBSW060	Dunlop Single Stainless Steel Wound Bass	- .060
DBSW065	Dunlop Single Stainless Steel Wound Bass	- .065
DBSW067	Dunlop Single Stainless Steel Wound Bass	- .067
DBSW070	Dunlop Single Stainless Steel Wound Bass	- .070
DBSW080	Dunlop Single Stainless Steel Wound Bass	- .080
DBSW085	Dunlop Single Stainless Steel Wound Bass	- .085
DBSW090	Dunlop Single Stainless Steel Wound Bass	- .090
DBSW100	Dunlop Single Stainless Steel Wound Bass	- .100
DBSW105	Dunlop Single Stainless Steel Wound Bass	- .105
DBSW106	Dunlop Single Stainless Steel Wound Bass	- .106
DBSW110	Dunlop Single Stainless Steel Wound Bass	- .110
DBSW120	Dunlop Single Stainless Steel Wound Bass	- .120
DBSW125	Dunlop Single Stainless Steel Wound Bass	- .125
DBSW128	Dunlop Single Stainless Steel Wound Bass	- .128
DBSW130	Dunlop Single Stainless Steel Wound Bass	- .130

STRING PACKAGING

Dunlop Acoustic and Electric Guitar Strings are packaged in attractive display boxes containing 12 identical sets of strings. Dunlop Bass Guitar Strings display boxes contain 6 sets of strings.

Dunlop Guitar and Bass strings are individually enclosed in corrosion protective envelopes that clearly indicate the string's gauge and material.



JIMDUNLOP.COM

LIVE TO PLAY LIVE®



www.jhs.co.uk

EXCLUSIVE UK TRADE DISTRIBUTORS: JOHN HORNBY SKEWES & CO. LTD., SALEM HOUSE, PARKINSON APPROACH, GARFORTH, LEEDS LS25 2HR, UK

©2006 JHS & Co. Ltd. Specifications and colours are subject to change without prior notice.

CAT-DS2006

